


US225W-36-10487

No.	Barcode	Voc(V)	Isc(A)	Vm(V)	Im(A)	Pm(W)	FF)	Lable Power(W)
1	SEAP11012312057	36.3	8.27	29.0	7.85	227.2	75.8	225W
2	SEAP11012212615	36.0	8.29	28.7	7.92	227.3	76.1	225W
3	SEAP11012112222	36.2	8.34	28.8	7.84	225.8	74.7	225W
4	SEAP11012112053	36.6	8.23	29.1	7.83	227.8	75.6	225W
5	SEAP11012112403	36.7	8.20	29.3	7.80	228.2	76.0	225W
6	SEAP11011912822	37.1	8.26	29.2	7.81	228.3	74.6	225W
7	SEAP11012112012	36.6	8.26	29.2	7.81	228.2	75.3	225W
8	SEAP11012112183	36.7	8.18	29.2	7.81	228.2	76.1	225W
9	SEAP11011912697	37.0	8.14	29.2	7.78	227.5	75.6	225W
10	SEAP11012112146	36.6	8.28	29.0	7.87	228.2	75.4	225W
11	SEAP11012112138	36.5	8.22	29.2	7.81	228.1	75.9	225W
12	SEAP11012112230	36.8	8.25	29.4	7.77	228.2	75.3	225W
13	SEAP11012112168	36.5	8.30	29.1	7.81	227.4	75.1	225W
14	SEAP11012112399	36.7	8.14	29.3	7.73	226.8	75.8	225W
15	SEAP11011912785	36.9	8.18	29.3	7.74	226.4	75.1	225W
16	SEAP11011912444	36.8	8.17	29.2	7.76	226.7	75.3	225W
17	SEAP11012012058	36.8	8.13	29.1	7.79	226.6	75.7	225W
18	SEAP11012012192	36.5	8.31	29.1	7.80	227.0	74.8	225W
19	SEAP11011912432	37.0	8.25	29.4	7.73	227.6	74.5	225W
20	SEAP11011912853	37.1	8.18	29.3	7.78	228.1	75.2	225W
21	SEAP11011912767	37.4	8.22	29.7	7.70	228.8	74.5	225W
22	SEAP11011912630	37.0	8.24	29.5	7.70	226.6	74.3	225W
23	SEAP11012112542	36.5	8.21	29.0	7.85	227.8	76.1	225W
24	SEAP11012112232	36.6	8.21	29.2	7.78	227.0	75.5	225W
25	SEAP11011912667	37.0	8.18	29.4	7.75	227.6	75.2	225W
26	SEAP11011912744	37.0	8.26	29.3	7.79	228.1	74.7	225W
27	SEAP11012312131	36.7	8.28	28.9	7.90	228.4	75.2	225W
28	SEAP11012012076	36.9	8.12	29.2	7.73	226.2	75.6	225W
29	SEAP11012212237	36.4	8.29	29.0	7.84	227.5	75.4	225W
30	SEAP11012312080	36.4	8.35	29.0	7.84	227.1	74.7	225W
31	SEAP11012312024	36.6	8.24	28.9	7.87	227.3	75.4	225W
32	SEAP11012112704	36.2	8.31	28.8	7.85	225.7	75.2	225W
33	SEAP11012112290	36.5	8.25	29.2	7.73	225.7	75.0	225W
34	SEAP11012112604	36.4	8.32	29.0	7.85	227.2	75.1	225W
35	SEAP11012112439	36.2	8.28	28.8	7.88	226.7	75.6	225W
36	SEAP11012112510	36.2	8.28	29.1	7.79	226.8	75.6	225W
TOTAL						8184.3		
AVERAGE						227.3		


225W US225W-36-10487
(+0.31%, +1.69%)



US225W-36-10488

No.	Barcode	Voc(V)	Isc(A)	Vm(V)	Im(A)	Pm(W)	FF)	Lable Power(W)
37	SEAP11011912455	36.6	8.15	29.4	7.68	225.8	75.6	225W
38	SEAP11011912403	36.6	8.34	29.2	7.72	225.6	73.9	225W
39	SEAP11012012537	36.2	8.32	28.9	7.82	226.1	75.2	225W
40	SEAP11011912448	36.9	8.30	29.5	7.73	228.2	74.4	225W
41	SEAP11011912546	36.7	8.20	29.5	7.70	226.9	75.4	225W
42	SEAP11011912371	36.9	8.19	29.6	7.70	227.7	75.4	225W
43	SEAP11011912457	36.9	8.21	29.1	7.78	226.4	74.7	225W
44	SEAP11012012023	36.6	8.26	29.4	7.74	227.8	75.4	225W
45	SEAP11011912882	36.8	8.23	29.4	7.75	228.0	75.3	225W
46	SEAP11011912888	36.6	8.17	29.5	7.67	226.7	75.7	225W
47	SEAP11011912855	36.9	8.15	29.7	7.69	227.9	75.9	225W
48	SEAP11012212370	35.9	8.35	28.5	7.96	226.9	75.6	225W
49	SEAP11012212698	36.1	8.26	28.9	7.85	226.7	75.9	225W
50	SEAP11012312512	36.3	8.28	28.9	7.88	227.8	75.7	225W
51	SEAP11012112581	35.9	8.37	28.5	7.93	225.8	75.1	225W
52	SEAP11012212111	36.2	8.41	28.6	7.98	228.3	75.0	225W
53	SEAP11011912324	36.7	8.27	29.1	7.80	227.3	75.0	225W
54	SEAP11012312410	36.5	8.29	29.0	7.89	228.8	75.6	225W
55	SEAP11012012444	36.0	8.34	28.6	7.96	227.8	75.8	225W
56	SEAP11012212127	35.9	8.32	28.6	7.93	226.4	76.0	225W
57	SEAP11012012002	36.6	8.20	29.1	7.85	228.2	76.0	225W
58	SEAP11012612278	36.4	8.35	28.9	7.90	228.4	75.2	225W
59	SEAP11012112045	36.1	8.27	28.9	7.86	226.7	76.0	225W
60	SEAP11012012314	36.3	8.32	28.9	7.90	228.4	75.6	225W
61	SEAP11012112427	36.2	8.26	29.1	7.80	226.6	75.7	225W
62	SEAP11012212948	36.3	8.29	29.0	7.88	228.4	75.8	225W
63	SEAP11012212620	36.2	8.31	28.8	7.89	227.5	75.7	225W
64	SEAP11012012320	36.1	8.32	28.9	7.87	227.4	75.8	225W
65	SEAP11012012173	36.2	8.20	29.2	7.82	227.9	76.8	225W
66	SEAP11012312397	36.3	8.26	28.9	7.90	228.7	76.2	225W
67	SEAP11011912661	37.4	8.24	29.9	7.59	227.3	73.8	225W
68	SEAP11012012178	36.2	8.24	29.1	7.85	228.3	76.6	225W
69	SEAP11012012287	36.0	8.30	28.8	7.90	227.9	76.3	225W
70	SEAP11012012411	36.3	8.41	29.2	7.72	225.7	74.0	225W
71	SEAP11012012004	36.9	8.18	29.4	7.69	226.5	75.0	225W
72	SEAP11012112391	36.1	8.26	28.8	7.86	226.3	75.9	225W
TOTAL						8183.5		
AVERAGE						227.3		


225W US225W-36-10488
(+0.27%, +1.69%)



US225W-36-10489

No.	Barcode	Voc(V)	Isc(A)	Vm(V)	Im(A)	Pm(W)	FF)	Lable Power(W)
73	SEAP11012212392	36.7	8.28	29.3	7.80	228.3	75.1	225W
74	SEAP11012212754	36.7	8.24	28.6	8.01	228.6	75.6	225W
75	SEAP11012012121	36.6	8.23	28.8	7.90	227.6	75.7	225W
76	SEAP11012112245	36.3	8.20	28.9	7.89	227.9	76.6	225W
77	SEAP11012112176	36.2	8.27	28.7	7.93	227.5	76.0	225W
78	SEAP11012012540	36.1	8.35	28.7	7.89	226.1	75.0	225W
79	SEAP11012212085	36.1	8.25	28.7	7.88	226.6	76.0	225W
80	SEAP11012112013	36.2	8.27	28.8	7.93	228.1	76.1	225W
81	SEAP11012312160	36.4	8.26	29.1	7.85	228.3	75.9	225W
82	SEAP11012212478	36.0	8.40	28.4	7.94	225.7	74.7	225W
83	SEAP11012712407	36.4	8.18	29.0	7.85	227.5	76.4	225W
84	SEAP11012112441	36.3	8.24	29.0	7.83	226.8	75.8	225W
85	SEAP11012012091	36.6	8.40	29.4	7.79	228.8	74.5	225W
86	SEAP11012012208	36.3	8.31	29.0	7.86	228.2	75.7	225W
87	SEAP11012012149	36.5	8.36	29.2	7.85	229.3	75.1	225W
88	SEAP11012012342	36.4	8.33	29.2	7.81	228.1	75.2	225W
89	SEAP11012012220	36.4	8.34	29.4	7.78	228.7	75.4	225W
90	SEAP11012012224	36.5	8.33	29.4	7.77	228.6	75.1	225W
91	SEAP11012012165	36.3	8.27	29.2	7.80	228.0	75.9	225W
92	SEAP11012012216	36.5	8.36	29.2	7.83	228.7	75.0	225W
93	SEAP11012012317	36.4	8.41	29.1	7.86	229.1	74.8	225W
94	SEAP11012112633	36.3	8.39	29.1	7.87	228.7	75.0	225W
95	SEAP11012112223	36.6	8.21	29.2	7.78	226.9	75.4	225W
96	SEAP11010712111	37.0	8.12	29.3	7.71	225.5	75.0	225W
97	SEAP11012012536	36.7	8.37	29.0	7.88	228.7	74.4	225W
98	SEAP11012112205	36.7	8.23	29.2	7.82	228.2	75.5	225W
99	SEAP11012012128	36.4	8.35	29.3	7.81	228.9	75.4	225W
100	SEAP11012012217	36.9	8.32	29.6	7.74	229.0	74.7	225W
101	SEAP11011912746	36.9	8.17	29.1	7.76	225.6	74.8	225W
102	SEAP11011912548	36.6	8.23	29.3	7.71	226.0	74.9	225W
103	SEAP11011912583	36.5	8.26	29.3	7.69	225.3	74.8	225W
104	SEAP11011912631	36.6	8.24	29.0	7.78	225.1	74.6	225W
105	SEAP11012112044	36.3	8.26	29.1	7.79	227.0	75.7	225W
106	SEAP11012112037	36.3	8.37	29.1	7.79	226.9	74.8	225W
107	SEAP11012012369	36.4	8.33	29.3	7.81	228.6	75.5	225W
108	SEAP11012112021	36.5	8.33	29.1	7.86	228.5	75.1	225W
TOTAL						8195.3		
AVERAGE						227.6		


225W US225W-36-10489
(+0.04%, +1.91%)



US225W-36-10490

No.	Barcode	Voc(V)	Isc(A)	Vm(V)	Im(A)	Pm(W)	FF)	Lable Power(W)
109	SEAP11012112114	36.4	8.28	28.9	7.91	228.5	75.8	225W
110	SEAP11011912028	36.7	8.18	29.1	7.74	225.6	75.2	225W
111	SEAP11012112006	36.6	8.23	29.1	7.85	228.5	75.9	225W
112	SEAP11012112317	36.2	8.23	28.9	7.83	225.9	75.9	225W
113	SEAP11011912013	36.8	8.23	28.7	7.88	225.9	74.6	225W
114	SEAP11011912004	36.7	8.21	29.1	7.82	227.4	75.4	225W
115	SEAP11011912191	36.7	8.26	29.2	7.75	226.6	74.6	225W
116	SEAP11011912053	36.7	8.18	29.1	7.77	226.1	75.3	225W
117	SEAP11011912187	36.7	8.21	29.2	7.76	226.8	75.3	225W
118	SEAP11012712029	36.7	8.22	29.2	7.80	227.7	75.5	225W
119	SEAP11012612680	36.2	8.31	28.9	7.85	226.7	75.4	225W
120	SEAP11012012424	36.2	8.27	29.0	7.84	227.7	76.0	225W
121	SEAP11012712481	36.4	8.21	29.0	7.78	225.7	75.5	225W
122	SEAP11011912500	37.3	8.22	29.7	7.69	228.2	74.5	225W
123	SEAP11011912563	37.3	8.24	29.7	7.65	227.3	74.0	225W
124	SEAP11012712195	36.7	8.15	29.3	7.74	226.6	75.8	225W
125	SEAP11011912579	36.8	8.28	29.3	7.74	226.6	74.3	225W
126	SEAP11011912268	37.2	8.29	29.2	7.75	226.5	73.6	225W
127	SEAP11011912542	37.0	8.15	29.3	7.72	226.2	75.1	225W
128	SEAP11012012569	36.6	8.26	29.3	7.78	227.8	75.3	225W
129	SEAP11012012031	37.1	8.45	29.5	7.75	228.6	72.9	225W
130	SEAP11012012011	37.1	8.26	29.4	7.76	228.3	74.6	225W
131	SEAP11012712228	36.7	8.25	29.1	7.82	227.4	75.1	225W
132	SEAP11012712061	36.5	8.23	29.0	7.80	226.0	75.1	225W
133	SEAP11012712408	36.4	8.23	29.0	7.83	226.9	75.7	225W
134	SEAP11012712223	36.5	8.25	29.1	7.78	226.2	75.1	225W
135	SEAP11012712255	36.8	8.16	29.2	7.81	228.2	76.1	225W
136	SEAP11012712139	36.9	8.14	29.3	7.78	228.4	76.2	225W
137	SEAP11012712062	36.8	8.15	29.4	7.76	227.9	76.0	225W
138	SEAP11012712256	36.6	8.21	29.2	7.77	226.4	75.3	225W
139	SEAP11012712455	36.6	8.23	29.3	7.81	228.5	75.9	225W
140	SEAP11012712131	36.7	8.07	29.4	7.70	226.5	76.4	225W
141	SEAP11012712670	36.6	8.22	29.1	7.81	227.5	75.7	225W
142	SEAP11012712135	36.6	8.23	29.3	7.70	225.9	74.9	225W
143	SEAP11012712240	36.6	8.28	29.1	7.82	227.6	75.1	225W
144	SEAP11012112335	36.5	8.30	29.2	7.84	228.9	75.5	225W
TOTAL						8177.5		
AVERAGE						227.2		


225W US225W-36-10490
(+0.27%, +1.73%)



US225W-36-10491

No.	Barcode	Voc(V)	Isc(A)	Vm(V)	Im(A)	Pm(W)	FF)	Lable Power(W)
145	SEAP11012712360	36.6	8.22	28.8	7.88	227.0	75.5	225W
146	SEAP11012112514	36.4	8.17	29.1	7.83	228.0	76.7	225W
147	SEAP11012312121	36.2	8.26	28.8	7.85	226.4	75.8	225W
148	SEAP11012212633	36.2	8.29	28.3	8.04	227.3	75.7	225W
149	SEAP11012212471	36.1	8.31	28.9	7.86	227.4	75.8	225W
150	SEAP11012612055	36.4	8.27	28.8	7.86	226.3	75.2	225W
151	SEAP11012712396	36.5	8.28	28.8	7.89	227.1	75.1	225W
152	SEAP11012612796	36.4	8.26	28.7	7.85	225.6	75.0	225W
153	SEAP11012712637	36.4	8.21	28.7	7.89	226.1	75.6	225W
154	SEAP11012712374	36.5	8.21	28.8	7.90	227.4	75.8	225W
155	SEAP11012212841	36.3	8.41	29.0	7.84	227.0	74.3	225W
156	SEAP11012712119	36.4	8.23	29.1	7.81	227.6	75.9	225W
157	SEAP11012212187	36.0	8.33	28.5	7.97	227.0	75.8	225W
158	SEAP11012712375	36.5	8.20	28.9	7.88	227.3	75.9	225W
159	SEAP11012712337	36.4	8.16	29.0	7.84	227.0	76.3	225W
160	SEAP11012712674	36.4	8.19	28.8	7.83	225.5	75.7	225W
161	SEAP11012712434	36.4	8.14	28.9	7.82	225.9	76.3	225W
162	SEAP11012212136	36.0	8.29	28.3	7.95	225.2	75.4	225W
163	SEAP11012212717	36.4	8.24	28.8	7.91	228.2	76.2	225W
164	SEAP11012712248	36.5	8.20	28.9	7.82	226.2	75.6	225W
165	SEAP11012712247	36.6	8.23	29.1	7.77	226.0	75.0	225W
166	SEAP11012712146	36.7	8.11	29.1	7.82	227.3	76.5	225W
167	SEAP11012712200	36.9	8.15	29.3	7.79	228.6	76.0	225W
168	SEAP11012112642	36.3	8.29	28.8	7.90	227.6	75.7	225W
169	SEAP11012112190	36.2	8.25	28.8	7.83	225.6	75.4	225W
170	SEAP11012112132	36.5	8.38	28.8	7.93	228.5	74.6	225W
171	SEAP11012212077	36.3	8.33	28.7	7.98	228.6	75.6	225W
172	SEAP11012212029	36.3	8.26	28.8	7.92	227.8	76.0	225W
173	SEAP11012112002	36.3	8.35	28.7	7.94	228.2	75.3	225W
174	SEAP11012112473	36.3	8.32	28.9	7.90	228.5	75.6	225W
175	SEAP11012112735	36.5	8.18	29.0	7.85	227.8	76.4	225W
176	SEAP11011912483	36.6	8.22	29.2	7.79	227.0	75.4	225W
177	SEAP11012112395	36.1	8.24	28.8	7.87	226.6	76.3	225W
178	SEAP11012112517	36.3	8.23	28.9	7.86	227.1	76.1	225W
179	SEAP11012112065	36.4	8.23	28.8	7.91	228.0	76.2	225W
180	SEAP11012112199	36.3	8.39	28.9	7.88	227.3	74.7	225W
TOTAL						8175.7		
AVERAGE						227.1		


225W US225W-36-10491
(+0.09%, +1.60%)



US225W-36-10492

No.	Barcode	Voc(V)	Isc(A)	Vm(V)	Im(A)	Pm(W)	FF)	Lable Power(W)
181	SEAP11012712464	37.2	8.12	29.6	7.66	227.1	75.3	225W
182	SEAP11012712174	36.8	8.19	29.1	7.86	228.4	75.8	225W
183	SEAP11012212203	36.5	8.31	29.0	7.85	227.6	75.1	225W
184	SEAP11012212908	36.4	8.24	28.9	7.85	226.6	75.5	225W
185	SEAP11012212795	36.2	8.21	29.3	7.76	226.9	76.3	225W
186	SEAP11012212740	36.1	8.23	28.7	7.89	226.7	76.4	225W
187	SEAP11012312260	36.1	8.33	28.6	7.95	227.0	75.6	225W
188	SEAP11011912424	37.0	8.16	29.5	7.71	227.2	75.3	225W
189	SEAP11012312599	36.4	8.31	28.8	7.86	226.4	74.9	225W
190	SEAP11012612616	36.1	8.35	28.6	7.89	225.6	74.9	225W
191	SEAP11012312175	36.8	8.22	29.0	7.87	228.4	75.5	225W
192	SEAP11012712549	36.5	8.17	28.9	7.82	226.1	75.9	225W
193	SEAP11012712692	36.6	8.23	29.1	7.82	227.5	75.5	225W
194	SEAP11012712151	36.6	8.15	29.0	7.84	227.3	76.2	225W
195	SEAP11012312386	36.1	8.26	28.9	7.87	227.2	76.3	225W
196	SEAP11011912879	36.6	8.27	29.0	7.82	226.6	74.9	225W
197	SEAP11012612600	36.5	8.34	29.0	7.85	227.7	74.9	225W
198	SEAP11012312610	36.1	8.33	28.7	7.96	228.1	76.0	225W
199	SEAP11012712147	37.1	8.13	29.4	7.74	227.6	75.5	225W
200	SEAP11012712206	36.9	8.14	29.7	7.66	227.5	75.8	225W
201	SEAP11012712401	36.6	8.23	29.0	7.85	227.6	75.6	225W
202	SEAP11012712339	36.6	8.24	29.0	7.88	228.4	75.7	225W
203	SEAP11012212625	35.9	8.39	28.5	7.94	226.1	75.1	225W
204	SEAP11012112055	35.9	8.36	28.5	7.95	226.7	75.5	225W
205	SEAP11012212832	36.5	8.23	28.8	7.94	228.3	76.0	225W
206	SEAP11012312553	36.0	8.37	28.7	7.97	228.4	75.8	225W
207	SEAP11012712301	36.5	8.18	28.8	7.84	226.0	75.8	225W
208	SEAP11012712504	36.5	8.13	28.9	7.83	226.3	76.2	225W
209	SEAP11012712526	36.7	8.17	29.1	7.81	227.0	75.7	225W
210	SEAP11012712077	37.3	8.14	29.7	7.65	227.5	74.9	225W
211	SEAP11012112264	36.6	8.30	28.9	7.90	227.9	75.0	225W
212	SEAP11011912897	36.8	8.14	29.1	7.79	226.9	75.8	225W
213	SEAP11012112315	36.2	8.19	28.9	7.82	226.0	76.2	225W
214	SEAP11012712518	36.6	8.15	28.9	7.90	228.5	76.6	225W
215	SEAP11012712129	36.6	8.35	29.0	7.80	226.1	74.0	225W
216	SEAP11012712292	36.4	8.22	28.8	7.87	226.5	75.7	225W
TOTAL						8177.6		
AVERAGE						227.2		


225W US225W-36-10492
(+0.27%, +1.51%)



US225W-36-10493

No.	Barcode	Voc(V)	Isc(A)	Vm(V)	Im(A)	Pm(W)	FF)	Lable Power(W)
217	SEAP11011912049	36.7	8.21	29.1	7.80	227.0	75.4	225W
218	SEAP11011912038	37.0	8.35	28.6	7.92	226.8	73.4	225W
219	SEAP11011912200	36.7	8.24	29.2	7.77	226.8	75.1	225W
220	SEAP11011912189	36.8	8.34	29.2	7.78	227.2	74.0	225W
221	SEAP11012712093	36.7	8.11	29.2	7.79	227.1	76.4	225W
222	SEAP11012712052	36.4	8.13	28.9	7.81	226.0	76.4	225W
223	SEAP11012112030	36.6	8.26	28.9	7.84	226.4	75.0	225W
224	SEAP11012712071	36.6	8.17	28.9	7.88	227.4	76.2	225W
225	SEAP11011912205	37.6	8.33	29.7	7.69	228.5	73.0	225W
226	SEAP11012712673	36.4	8.17	28.9	7.82	225.9	75.8	225W
227	SEAP11011912712	37.3	8.15	29.5	7.72	227.4	74.8	225W
228	SEAP11011912359	36.8	8.40	29.5	7.67	226.2	73.3	225W
229	SEAP11012612787	36.5	8.15	29.0	7.82	226.8	76.2	225W
230	SEAP11012712044	36.6	8.18	28.8	7.86	226.5	75.7	225W
231	SEAP11012712108	36.4	8.11	28.9	7.81	225.5	76.4	225W
232	SEAP11012712074	36.4	8.15	28.9	7.85	226.7	76.5	225W
233	SEAP11012712422	36.5	8.17	28.9	7.81	226.2	75.9	225W
234	SEAP11012712397	36.6	8.14	29.0	7.82	227.0	76.2	225W
235	SEAP11012712030	36.5	8.15	28.9	7.88	228.0	76.6	225W
236	SEAP11012712094	36.6	8.16	28.9	7.88	227.5	76.1	225W
237	SEAP11012712417	36.6	8.18	29.1	7.81	227.1	75.9	225W
238	SEAP11012712053	36.7	8.14	29.1	7.84	228.6	76.6	225W
239	SEAP11012712286	36.5	8.22	29.1	7.76	225.7	75.1	225W
240	SEAP11012712456	36.6	8.17	29.1	7.82	227.3	76.0	225W
241	SEAP11012712611	36.5	8.15	28.9	7.85	227.1	76.4	225W
242	SEAP11012712063	36.6	8.10	29.1	7.77	225.8	76.2	225W
243	SEAP11012612757	36.5	8.18	28.8	7.87	226.8	75.9	225W
244	SEAP11012712482	36.5	8.22	28.7	7.89	226.4	75.6	225W
245	SEAP11011912748	36.7	8.42	29.3	7.73	226.7	73.4	225W
246	SEAP11012012069	37.1	8.18	29.4	7.78	228.3	75.1	225W
247	SEAP11012112428	36.3	8.24	28.9	7.87	227.2	76.0	225W
248	SEAP11012112585	36.3	8.26	28.9	7.90	228.6	76.2	225W
249	SEAP11012712115	36.6	8.11	29.0	7.78	226.0	76.1	225W
250	SEAP11012712152	36.8	8.10	29.3	7.75	227.0	76.2	225W
251	SEAP11012612769	36.6	8.20	29.1	7.85	228.3	76.0	225W
252	SEAP11012712168	36.6	8.20	28.9	7.83	226.6	75.6	225W
TOTAL						8170.0		
AVERAGE						226.9		


225W US225W-36-10493
(+0.22%, +1.60%)



US225W-36-10494

No.	Barcode	Voc(V)	Isc(A)	Vm(V)	Im(A)	Pm(W)	FF)	Lable Power(W)
253	SEAP11011912764	36.7	8.17	29.2	7.81	227.8	75.9	225W
254	SEAP11012112709	36.4	8.40	29.2	7.84	228.8	74.8	225W
255	SEAP11012112554	36.2	8.39	29.2	7.78	226.9	74.7	225W
256	SEAP11012012145	36.3	8.31	29.1	7.85	228.6	75.7	225W
257	SEAP11012112464	36.5	8.26	29.1	7.85	228.4	75.9	225W
258	SEAP11012112513	36.3	8.21	29.2	7.79	227.6	76.3	225W
259	SEAP11012112493	36.3	8.27	29.0	7.84	227.6	75.7	225W
260	SEAP11012112654	36.0	8.30	28.9	7.84	226.5	75.8	225W
261	SEAP11011912751	36.4	8.26	29.1	7.80	226.7	75.4	225W
262	SEAP11011912768	36.5	8.26	29.2	7.74	225.9	74.8	225W
263	SEAP11012112652	36.4	8.17	29.3	7.77	227.5	76.6	225W
264	SEAP11012112550	36.0	8.25	28.9	7.84	226.5	76.2	225W
265	SEAP11012112004	36.3	8.35	28.8	7.87	226.9	74.9	225W
266	SEAP11012112362	36.2	8.24	29.1	7.75	225.8	75.7	225W
267	SEAP11011912867	37.1	8.14	29.3	7.70	225.4	74.7	225W
268	SEAP11011912240	37.3	8.22	29.3	7.71	225.8	73.7	225W
269	SEAP11011912659	37.1	8.22	29.1	7.77	225.8	74.0	225W
270	SEAP11011912509	37.1	8.28	29.2	7.73	225.4	73.3	225W
271	SEAP11011912711	37.0	8.09	29.3	7.70	225.3	75.2	225W
272	SEAP11011912447	37.1	8.19	29.6	7.63	226.0	74.4	225W
273	SEAP11011912560	37.1	8.13	29.5	7.66	225.6	74.7	225W
274	SEAP11012012064	37.1	8.18	29.1	7.75	225.7	74.4	225W
275	SEAP11011912650	36.9	8.27	29.0	7.75	225.2	73.7	225W
276	SEAP11011912736	37.1	8.17	29.3	7.71	226.4	74.6	225W
277	SEAP11012012042	37.0	8.23	29.0	7.77	225.6	74.1	225W
278	SEAP11012012106	37.0	8.20	29.2	7.72	225.5	74.3	225W
279	SEAP11012212325	36.7	8.26	28.9	7.82	226.2	74.6	225W
280	SEAP11012212247	36.7	8.24	28.9	7.83	226.1	74.8	225W
281	SEAP11011912692	37.0	8.27	29.1	7.76	225.4	73.8	225W
282	SEAP11012012077	37.0	8.30	29.4	7.70	226.1	73.6	225W
283	SEAP11012212301	36.7	8.25	29.1	7.85	228.5	75.5	225W
284	SEAP11011912185	36.8	8.17	29.2	7.78	227.1	75.4	225W
285	SEAP11012312578	36.3	8.28	28.6	7.88	225.9	75.2	225W
286	SEAP11012212950	36.2	8.27	28.6	7.90	226.1	75.6	225W
287	SEAP11012712446	36.4	8.24	28.9	7.82	226.1	75.3	225W
288	SEAP11012712445	36.4	8.35	28.7	7.85	225.6	74.2	225W
TOTAL						8152.3		
AVERAGE						226.5		


225W US225W-36-10494
(+0.09%, +1.69%)



US225W-36-10495

No.	Barcode	Voc(V)	Isc(A)	Vm(V)	Im(A)	Pm(W)	FF)	Lable Power(W)
289	SEAP11012012530	36.5	8.35	29.3	7.76	227.0	74.4	225W
290	SEAP11012112096	36.3	8.33	29.0	7.84	227.1	75.2	225W
291	SEAP11012012284	36.4	8.27	29.0	7.87	228.0	75.7	225W
292	SEAP11012112081	36.5	8.40	29.2	7.80	227.7	74.2	225W
293	SEAP11012112144	36.3	8.35	29.0	7.80	225.7	74.5	225W
294	SEAP11012112424	36.2	8.22	29.0	7.82	226.7	76.1	225W
295	SEAP11012112011	36.4	8.32	29.0	7.84	227.6	75.1	225W
296	SEAP11012112020	36.4	8.30	28.9	7.88	227.6	75.4	225W
297	SEAP11012012528	36.6	8.20	29.3	7.75	227.2	75.8	225W
298	SEAP11012112080	36.3	8.39	29.2	7.76	226.7	74.4	225W
299	SEAP11012112046	36.4	8.26	29.2	7.80	227.9	75.7	225W
300	SEAP11012112018	36.3	8.32	28.9	7.82	226.1	74.9	225W
301	SEAP11012112203	36.4	8.34	28.9	7.84	226.5	74.6	225W
302	SEAP11012112079	36.5	8.39	29.1	7.84	227.8	74.5	225W
303	SEAP11012112159	36.2	8.32	28.8	7.91	227.6	75.5	225W
304	SEAP11012112153	36.3	8.33	29.0	7.84	227.3	75.1	225W
305	SEAP11012112419	36.3	8.27	29.0	7.82	226.4	75.4	225W
306	SEAP11012012373	36.5	8.34	29.2	7.83	228.7	75.1	225W
307	SEAP11012012324	36.3	8.39	29.1	7.84	228.5	75.0	225W
308	SEAP11012012315	36.3	8.32	29.1	7.84	228.2	75.4	225W
309	SEAP11012112073	36.2	8.28	28.9	7.86	227.2	75.7	225W
310	SEAP11012012252	36.3	8.35	29.1	7.84	228.5	75.3	225W
311	SEAP11012112078	36.2	8.39	29.0	7.83	227.2	74.8	225W
312	SEAP11012012274	36.3	8.32	29.1	7.84	228.2	75.5	225W
313	SEAP11012112028	36.3	8.43	29.0	7.83	227.1	74.2	225W
314	SEAP11012112026	36.5	8.32	29.6	7.70	227.9	75.0	225W
315	SEAP11012112294	36.2	8.17	29.1	7.79	226.2	76.5	225W
316	SEAP11012112140	36.2	8.35	28.9	7.82	226.0	74.8	225W
317	SEAP11012012222	36.4	8.34	29.2	7.81	227.7	74.9	225W
318	SEAP11012112265	36.2	8.20	29.0	7.81	226.7	76.3	225W
319	SEAP11011912741	36.8	8.19	29.7	7.68	227.8	75.5	225W
320	SEAP11012012309	36.3	8.32	29.2	7.82	228.8	75.8	225W
321	SEAP11012112590	36.4	8.27	29.3	7.77	227.9	75.8	225W
322	SEAP11012112444	36.3	8.27	29.1	7.79	226.5	75.5	225W
323	SEAP11011912725	36.6	8.23	29.3	7.75	227.0	75.4	225W
324	SEAP11011912800	36.8	8.24	29.5	7.75	228.5	75.3	225W
TOTAL						8185.6		
AVERAGE						227.4		


225W US225W-36-10495
(+0.31%, +1.69%)



US225W-36-10496

No.	Barcode	Voc(V)	Isc(A)	Vm(V)	Im(A)	Pm(W)	FF)	Lable Power(W)
325	SEAP11011912002	37.3	8.28	29.4	7.76	227.9	73.8	225W
326	SEAP11011912334	36.9	8.25	29.5	7.68	226.8	74.5	225W
327	SEAP11011912115	37.3	8.34	29.3	7.78	227.8	73.3	225W
328	SEAP11011912117	37.5	8.37	29.3	7.77	227.9	72.7	225W
329	SEAP11011912175	36.9	8.24	29.5	7.73	228.1	75.0	225W
330	SEAP11011912282	37.5	8.38	29.4	7.78	228.8	72.8	225W
331	SEAP11011912087	36.7	8.25	29.4	7.68	226.0	74.7	225W
332	SEAP11011912145	37.4	8.37	29.3	7.78	228.2	72.9	225W
333	SEAP11011912197	37.4	8.35	29.3	7.78	228.1	73.1	225W
334	SEAP11011912596	37.1	8.15	29.3	7.78	228.4	75.6	225W
335	SEAP11011912261	37.5	8.36	29.4	7.76	228.5	73.0	225W
336	SEAP11011912206	37.4	8.35	29.4	7.75	227.9	73.0	225W
337	SEAP11011912107	37.5	8.36	29.4	7.75	228.0	72.7	225W
338	SEAP11012012071	37.1	8.16	29.4	7.75	228.2	75.4	225W
339	SEAP11012012026	37.0	8.21	29.4	7.77	228.1	75.0	225W
340	SEAP11011912793	37.0	8.39	29.8	7.67	228.2	73.5	225W
341	SEAP11011912523	37.2	8.25	29.5	7.74	228.1	74.4	225W
342	SEAP11011912419	37.3	8.16	29.6	7.70	228.2	75.0	225W
343	SEAP11012012343	37.0	8.24	29.8	7.68	229.0	75.2	225W
344	SEAP11011912878	36.9	8.30	29.3	7.79	228.0	74.5	225W
345	SEAP11011912592	36.7	8.24	29.2	7.75	225.8	74.6	225W
346	SEAP11011912657	36.9	8.29	29.2	7.77	227.2	74.3	225W
347	SEAP11011912515	36.7	8.19	29.2	7.75	226.1	75.2	225W
348	SEAP11011912536	36.9	8.13	29.3	7.73	226.9	75.5	225W
349	SEAP11011912399	36.8	8.21	29.3	7.73	226.5	74.9	225W
350	SEAP11011912778	36.7	8.19	29.2	7.77	226.7	75.4	225W
351	SEAP11011912484	37.0	8.18	29.2	7.82	228.5	75.4	225W
352	SEAP11011912526	36.7	8.21	29.1	7.76	225.9	75.0	225W
353	SEAP11012012018	36.7	8.14	29.1	7.77	226.4	75.6	225W
354	SEAP11012112182	36.5	8.25	29.0	7.85	227.8	75.6	225W
355	SEAP11011912495	37.0	8.25	29.3	7.79	227.9	74.7	225W
356	SEAP11012012082	36.8	8.19	29.3	7.74	226.7	75.2	225W
357	SEAP11011912242	36.5	8.32	28.9	7.80	225.9	74.3	225W
358	SEAP11011912296	36.8	8.19	29.4	7.73	227.1	75.3	225W
359	SEAP11012112154	36.3	8.39	29.0	7.81	226.8	74.4	225W
360	SEAP11012112143	36.3	8.38	28.9	7.88	227.4	74.8	225W
TOTAL						8190.0		
AVERAGE						227.5		


225W US225W-36-10496
(+0.36%, +1.78%)



US225W-36-10497

No.	Barcode	Voc(V)	Isc(A)	Vm(V)	Im(A)	Pm(W)	FF)	Lable Power(W)
361	SEAP11012112348	36.5	8.20	29.1	7.85	228.2	76.2	225W
362	SEAP11011912155	36.7	8.37	29.1	7.81	227.1	74.0	225W
363	SEAP11011912144	36.8	8.22	29.1	7.77	226.3	74.9	225W
364	SEAP11011912322	37.0	8.29	29.2	7.79	227.5	74.2	225W
365	SEAP11012712687	36.6	8.18	29.4	7.66	225.3	75.3	225W
366	SEAP11011912157	36.8	8.23	29.3	7.76	227.5	75.1	225W
367	SEAP11012712602	36.5	8.23	28.9	7.87	227.6	75.8	225W
368	SEAP11012712295	36.5	8.37	28.9	7.88	227.8	74.5	225W
369	SEAP11012612800	36.6	8.25	29.0	7.83	227.2	75.3	225W
370	SEAP11012612768	36.3	8.16	28.9	7.85	227.1	76.6	225W
371	SEAP11011912069	36.8	8.23	29.1	7.78	226.7	74.9	225W
372	SEAP11011912001	36.7	8.28	29.1	7.80	226.8	74.6	225W
373	SEAP11011912153	36.8	8.30	29.1	7.77	226.3	74.1	225W
374	SEAP11012712379	36.6	8.24	29.1	7.82	227.7	75.5	225W
375	SEAP11012712524	36.6	8.24	29.1	7.83	228.1	75.6	225W
376	SEAP11012612795	36.6	8.25	29.3	7.78	227.6	75.4	225W
377	SEAP11012712601	36.6	8.16	29.1	7.80	227.4	76.1	225W
378	SEAP11011912199	36.8	8.26	29.2	7.77	226.7	74.6	225W
379	SEAP11011912292	36.8	8.21	29.1	7.80	226.8	75.1	225W
380	SEAP11011912347	36.3	8.23	28.7	7.88	226.6	75.9	225W
381	SEAP11011912339	36.8	8.28	29.0	7.85	227.9	74.8	225W
382	SEAP11012712327	36.8	8.25	29.4	7.77	228.2	75.0	225W
383	SEAP11012712685	36.4	8.18	28.9	7.84	226.7	76.2	225W
384	SEAP11012712272	36.6	8.22	29.2	7.80	227.7	75.7	225W
385	SEAP11012712383	36.3	8.16	28.8	7.87	226.7	76.4	225W
386	SEAP11011912060	36.7	8.33	29.0	7.79	226.0	73.9	225W
387	SEAP11011912093	36.7	8.22	28.9	7.85	226.6	75.1	225W
388	SEAP11011912269	36.7	8.23	29.0	7.81	226.4	74.9	225W
389	SEAP11011912321	36.6	8.31	29.1	7.79	226.9	74.5	225W
390	SEAP11012712665	36.4	8.17	28.9	7.83	226.3	76.0	225W
391	SEAP11012712559	36.6	8.19	29.0	7.84	227.2	75.7	225W
392	SEAP11012712280	36.6	8.19	29.0	7.86	227.6	75.9	225W
393	SEAP11012612779	36.5	8.12	29.0	7.81	226.2	76.3	225W
394	SEAP11011912012	37.2	8.35	29.2	7.76	226.9	73.0	225W
395	SEAP11011912027	37.4	8.30	29.3	7.76	227.6	73.4	225W
396	SEAP11011912332	36.8	8.24	29.3	7.73	226.7	74.7	225W
TOTAL						8174.0		
AVERAGE						227.1		


225W US225W-36-10497
(+1.13%, +1.42%)



US225W-36-10498

No.	Barcode	Voc(V)	Isc(A)	Vm(V)	Im(A)	Pm(W)	FF)	Lable Power(W)
397	SEAP11011912327	37.0	8.26	29.1	7.81	227.7	74.4	225W
398	SEAP11011912336	37.2	8.27	29.0	7.86	228.2	74.2	225W
399	SEAP11011912313	37.0	8.18	29.0	7.79	225.9	74.6	225W
400	SEAP11011912326	37.0	8.25	29.3	7.77	228.0	74.7	225W
401	SEAP11011912319	37.0	8.24	29.3	7.82	228.8	75.1	225W
402	SEAP11011912011	36.9	8.14	29.2	7.79	227.1	75.5	225W
403	SEAP11011912032	37.0	8.30	29.1	7.84	227.9	74.2	225W
404	SEAP11011912048	36.9	8.33	29.1	7.83	228.1	74.2	225W
405	SEAP11011912054	36.9	8.29	29.2	7.82	228.2	74.7	225W
406	SEAP11011912213	37.4	8.24	29.5	7.71	227.5	73.8	225W
407	SEAP11011912243	36.7	8.25	29.1	7.78	226.2	74.6	225W
408	SEAP11011912171	36.7	8.27	28.9	7.82	226.1	74.6	225W
409	SEAP11011912176	36.8	8.26	28.8	7.92	228.2	75.0	225W
410	SEAP11011912142	37.0	8.26	28.8	7.88	227.2	74.3	225W
411	SEAP11011912072	36.7	8.28	29.1	7.80	227.0	74.8	225W
412	SEAP11011912198	36.8	8.18	28.9	7.83	226.5	75.3	225W
413	SEAP11011912235	36.6	8.33	29.1	7.78	226.5	74.2	225W
414	SEAP11011912127	36.8	8.25	29.2	7.79	227.3	75.0	225W
415	SEAP11011912270	36.7	8.19	29.1	7.77	225.9	75.3	225W
416	SEAP11011912061	36.7	8.28	29.0	7.82	226.8	74.7	225W
417	SEAP11011912133	36.7	8.25	29.1	7.78	226.7	74.8	225W
418	SEAP11011912067	36.9	8.32	28.6	7.95	227.5	74.1	225W
419	SEAP11011912233	36.8	8.21	29.1	7.79	226.6	75.1	225W
420	SEAP11011912236	37.3	8.26	29.2	7.80	227.9	73.9	225W
421	SEAP11011912101	36.7	8.31	28.9	7.84	226.7	74.3	225W
422	SEAP11011912077	36.8	8.29	29.0	7.83	226.9	74.3	225W
423	SEAP11012112366	36.6	8.16	29.2	7.82	228.5	76.4	225W
424	SEAP11012112041	36.6	8.23	29.0	7.86	227.8	75.7	225W
425	SEAP11012112402	36.7	8.17	29.2	7.82	228.1	76.2	225W
426	SEAP11012112288	36.6	8.16	29.1	7.85	228.3	76.4	225W
427	SEAP11011912265	36.8	8.24	29.0	7.84	227.7	75.0	225W
428	SEAP11011912138	36.6	8.30	28.8	7.86	226.7	74.6	225W
429	SEAP11012112295	36.6	8.14	29.2	7.81	228.2	76.7	225W
430	SEAP11012012035	36.9	8.28	29.4	7.77	228.3	74.7	225W
431	SEAP11012112062	36.5	8.25	29.1	7.83	228.0	75.6	225W
432	SEAP11012112453	36.7	8.13	29.3	7.77	227.8	76.4	225W
TOTAL						8186.6		
AVERAGE						227.4		


225W US225W-36-10498
(+0.40%, +1.69%)



US225W-36-10499

No.	Barcode	Voc(V)	Isc(A)	Vm(V)	Im(A)	Pm(W)	FF)	Lable Power(W)
433	SEAP11012012182	36.5	8.30	29.1	7.87	229.3	75.7	225W
434	SEAP11012012144	36.8	8.31	29.6	7.73	228.8	74.9	225W
435	SEAP11012012209	36.4	8.33	29.0	7.88	228.5	75.4	225W
436	SEAP11012112106	36.3	8.27	28.8	7.89	227.5	75.8	225W
437	SEAP11012112400	36.4	8.33	29.0	7.83	227.2	75.0	225W
438	SEAP11012012443	36.4	8.34	29.3	7.81	228.6	75.3	225W
439	SEAP11012012134	36.3	8.34	28.9	7.92	228.8	75.6	225W
440	SEAP11012012211	36.3	8.42	28.9	7.89	228.0	74.6	225W
441	SEAP11011912312	36.9	8.30	29.3	7.76	227.6	74.3	225W
442	SEAP11012112059	36.2	8.38	29.0	7.81	226.3	74.7	225W
443	SEAP11012012048	36.9	8.29	29.5	7.74	228.2	74.7	225W
444	SEAP11011912264	36.7	8.32	29.2	7.75	226.2	74.1	225W
445	SEAP11011912301	36.7	8.30	29.1	7.75	225.6	74.0	225W
446	SEAP11011912338	37.1	8.28	29.2	7.81	228.0	74.3	225W
447	SEAP11012712562	36.4	8.39	28.9	7.87	227.4	74.4	225W
448	SEAP11012712334	36.9	8.23	29.4	7.81	229.2	75.6	225W
449	SEAP11012712654	36.4	8.19	28.9	7.86	227.5	76.3	225W
450	SEAP11012712436	36.5	8.23	28.8	7.92	228.0	76.0	225W
451	SEAP11012712098	36.8	8.14	29.4	7.71	226.6	75.7	225W
452	SEAP11012712231	36.5	8.31	28.9	7.84	226.6	74.7	225W
453	SEAP11012612406	36.2	8.28	28.6	7.91	225.9	75.5	225W
454	SEAP11011912894	36.6	8.21	29.5	7.68	226.6	75.5	225W
455	SEAP11012712027	36.2	8.24	28.9	7.85	226.7	76.0	225W
456	SEAP11012712532	36.1	8.26	28.8	7.88	226.6	75.9	225W
457	SEAP11012712404	36.3	8.34	28.9	7.89	228.2	75.4	225W
458	SEAP11012712630	36.3	8.23	28.8	7.86	226.6	75.9	225W
459	SEAP11012712664	36.1	8.20	28.9	7.83	226.2	76.3	225W
460	SEAP11012312547	36.6	8.24	29.0	7.90	229.0	75.9	225W
461	SEAP11011912291	36.9	8.31	28.8	7.89	227.6	74.3	225W
462	SEAP11011912354	36.7	8.30	29.2	7.81	227.8	74.9	225W
463	SEAP11012312465	36.8	8.25	29.5	7.75	228.6	75.3	225W
464	SEAP11012712538	36.2	8.23	28.8	7.88	227.2	76.3	225W
465	SEAP11012712617	36.3	8.24	29.1	7.79	226.6	75.7	225W
466	SEAP11011912044	37.1	8.19	29.8	7.57	226.0	74.4	225W
467	SEAP11012312054	36.0	8.20	28.8	7.85	225.8	76.5	225W
468	SEAP11012312429	36.4	8.30	29.0	7.88	228.9	75.7	225W
TOTAL						8188.3		
AVERAGE						227.5		


225W US225W-36-10499
(+0.27%, +1.87%)



US225W-36-10500

No.	Barcode	Voc(V)	Isc(A)	Vm(V)	Im(A)	Pm(W)	FF)	Lable Power(W)
469	SEAP11011912417	37.3	8.15	29.4	7.78	228.5	75.1	225W
470	SEAP11012012275	36.8	8.30	29.2	7.85	229.6	75.2	225W
471	SEAP11012012196	36.6	8.28	29.1	7.83	228.1	75.2	225W
472	SEAP11012012345	36.6	8.30	29.0	7.88	228.5	75.3	225W
473	SEAP11011912464	37.0	8.16	29.4	7.73	227.4	75.4	225W
474	SEAP11012012295	36.7	8.31	29.2	7.84	229.1	75.0	225W
475	SEAP11012012221	36.7	8.35	29.0	7.90	229.4	74.8	225W
476	SEAP11011912499	36.9	8.25	29.2	7.76	226.7	74.5	225W
477	SEAP11012012348	36.7	8.32	29.3	7.80	228.2	74.8	225W
478	SEAP11011912856	37.0	8.16	29.3	7.74	227.1	75.3	225W
479	SEAP11012012142	36.8	8.28	29.4	7.80	229.0	75.2	225W
480	SEAP11012012527	36.7	8.25	29.1	7.85	228.7	75.6	225W
481	SEAP11012012177	36.7	8.39	29.2	7.80	227.9	74.0	225W
482	SEAP11012112032	36.6	8.17	29.4	7.71	226.7	75.8	225W
483	SEAP11012112085	36.4	8.25	28.9	7.81	225.9	75.2	225W
484	SEAP11012112071	36.7	8.23	29.2	7.82	228.2	75.5	225W
485	SEAP11011912378	37.2	8.24	29.3	7.78	228.0	74.4	225W
486	SEAP11011912705	37.2	8.23	29.3	7.79	228.1	74.5	225W
487	SEAP11012112225	36.4	8.24	28.9	7.88	228.2	75.9	225W
488	SEAP11012112597	36.7	8.29	29.1	7.86	228.5	75.0	225W
489	SEAP11012312077	36.5	8.26	29.0	7.88	228.2	75.7	225W
490	SEAP11012012140	36.7	8.30	29.2	7.82	228.6	75.0	225W
491	SEAP11012312332	36.4	8.32	29.0	7.89	228.7	75.5	225W
492	SEAP11012012201	36.7	8.28	29.4	7.77	228.6	75.2	225W
493	SEAP11012012138	36.8	8.23	29.3	7.80	228.6	75.4	225W
494	SEAP11012212214	36.6	8.36	29.1	7.85	228.3	74.6	225W
495	SEAP11012312331	36.5	8.28	29.1	7.87	228.7	75.7	225W
496	SEAP11012012422	36.7	8.33	29.3	7.83	229.6	75.2	225W
497	SEAP11012112625	36.2	8.42	28.9	7.91	228.5	75.1	225W
498	SEAP11012112501	36.4	8.36	29.0	7.86	228.1	75.0	225W
499	SEAP11012012515	36.3	8.43	28.8	7.94	228.2	74.5	225W
500	SEAP11011912802	36.7	8.28	29.5	7.76	228.5	75.3	225W
501	SEAP11012012189	37.0	8.23	29.5	7.78	229.7	75.5	225W
502	SEAP11012012212	36.3	8.35	28.9	7.91	228.8	75.4	225W
503	SEAP11012112478	36.3	8.35	29.1	7.87	228.7	75.4	225W
504	SEAP11012112210	36.3	8.33	29.1	7.82	227.8	75.2	225W
TOTAL						8219.4		
AVERAGE						228.3		


225W US225W-36-10500
(+0.40%, +2.04%)



US225W-36-10501

No.	Barcode	Voc(V)	Isc(A)	Vm(V)	Im(A)	Pm(W)	FF)	Lable Power(W)
505	SEAP11011912114	36.8	8.28	29.1	7.81	227.6	74.8	225W
506	SEAP11012012123	36.4	8.38	29.1	7.87	229.1	75.1	225W
507	SEAP11011912703	36.8	8.19	29.4	7.74	227.6	75.5	225W
508	SEAP11011912492	36.7	8.31	29.4	7.71	226.6	74.4	225W
509	SEAP11011912565	36.6	8.29	29.3	7.76	227.2	74.8	225W
510	SEAP11012012003	37.2	8.14	29.3	7.75	227.1	75.1	225W
511	SEAP11011912532	36.7	8.18	29.1	7.81	227.6	75.7	225W
512	SEAP11012012237	36.1	8.35	29.0	7.84	227.3	75.5	225W
513	SEAP11012012231	36.6	8.18	28.9	7.82	226.2	75.6	225W
514	SEAP11012012361	36.6	8.23	28.9	7.84	226.7	75.3	225W
515	SEAP11012012495	36.7	8.23	29.0	7.83	226.9	75.1	225W
516	SEAP11012012474	36.8	8.14	29.2	7.76	226.3	75.6	225W
517	SEAP11012712362	36.2	8.31	28.7	7.88	225.9	75.0	225W
518	SEAP11011912828	37.1	8.15	29.3	7.71	226.2	74.9	225W
519	SEAP11011912872	37.1	8.27	29.5	7.74	228.0	74.2	225W
520	SEAP11011912633	37.1	8.23	29.4	7.71	226.6	74.2	225W
521	SEAP11011912641	37.1	8.22	29.3	7.76	227.6	74.6	225W
522	SEAP11012112150	36.4	8.25	28.9	7.86	227.4	75.7	225W
523	SEAP11012112229	36.6	8.14	29.0	7.84	227.6	76.4	225W
524	SEAP11012112103	36.5	8.27	29.0	7.86	227.9	75.4	225W
525	SEAP11012112010	36.5	8.30	29.1	7.85	228.0	75.2	225W
526	SEAP11012112094	36.4	8.22	29.0	7.81	226.5	75.7	225W
527	SEAP11012112412	36.7	8.08	29.3	7.77	227.9	76.9	225W
528	SEAP11012012534	36.6	8.34	29.1	7.84	228.6	74.9	225W
529	SEAP11012112158	36.5	8.28	29.0	7.87	228.0	75.4	225W
530	SEAP11012112038	36.5	8.27	29.1	7.81	227.1	75.3	225W
531	SEAP11012012535	36.7	8.22	29.1	7.79	226.5	75.1	225W
532	SEAP11012112098	36.6	8.24	29.3	7.77	228.0	75.5	225W
533	SEAP11012112218	36.6	8.24	29.2	7.80	227.9	75.5	225W
534	SEAP11012012402	36.6	8.33	29.1	7.85	228.6	75.0	225W
535	SEAP11012112064	36.4	8.29	28.8	7.85	226.3	75.0	225W
536	SEAP11011912829	36.9	8.09	29.1	7.74	225.7	75.7	225W
537	SEAP11011912704	36.9	8.28	29.4	7.67	225.7	73.9	225W
538	SEAP11011912576	37.0	8.28	29.3	7.80	228.3	74.5	225W
539	SEAP11012012433	36.9	8.17	29.4	7.77	228.6	75.8	225W
540	SEAP11012012393	36.9	8.22	29.4	7.78	228.4	75.4	225W
TOTAL						8183.6		
AVERAGE						227.3		


225W US225W-36-10501
(+0.31%, +1.82%)



US225W-36-10502

No.	Barcode	Voc(V)	Isc(A)	Vm(V)	Im(A)	Pm(W)	FF)	Lable Power(W)
541	SEAP11012112565	36.3	8.40	28.7	7.95	227.7	74.8	225W
542	SEAP11012112465	36.4	8.29	28.8	7.93	228.1	75.6	225W
543	SEAP11012112455	36.3	8.27	28.9	7.87	227.3	75.7	225W
544	SEAP11011912161	36.8	8.33	29.1	7.82	227.1	74.1	225W
545	SEAP11011912554	36.6	8.28	29.2	7.77	226.8	74.7	225W
546	SEAP11011912640	36.6	8.23	29.2	7.76	226.5	75.3	225W
547	SEAP11012112224	36.4	8.32	28.9	7.85	226.7	75.0	225W
548	SEAP11012112112	36.4	8.33	28.9	7.91	228.6	75.4	225W
549	SEAP11012212078	36.3	8.27	28.7	7.93	227.4	75.8	225W
550	SEAP11011912651	36.8	8.28	29.3	7.76	227.7	74.7	225W
551	SEAP11011912598	36.6	8.35	29.1	7.76	226.1	74.0	225W
552	SEAP11012012268	36.2	8.37	29.1	7.83	228.1	75.2	225W
553	SEAP11012012109	36.6	8.16	29.3	7.75	226.8	75.9	225W
554	SEAP11012012151	36.0	8.29	28.9	7.83	226.0	75.6	225W
555	SEAP11012012174	36.0	8.24	28.9	7.83	226.5	76.3	225W
556	SEAP11011912530	37.1	8.18	29.5	7.71	227.4	74.8	225W
557	SEAP11012012223	36.2	8.26	29.0	7.84	227.6	76.1	225W
558	SEAP11011912696	37.0	8.22	29.4	7.73	227.6	74.9	225W
559	SEAP11011912513	37.1	8.17	29.6	7.67	226.9	74.8	225W
560	SEAP11012012273	36.6	8.23	29.2	7.75	226.6	75.2	225W
561	SEAP11012012179	36.2	8.30	29.1	7.82	227.9	75.8	225W
562	SEAP11012012180	36.3	8.28	29.1	7.82	227.8	75.8	225W
563	SEAP11012312417	36.3	8.32	28.8	7.92	228.4	75.7	225W
564	SEAP11012012463	36.3	8.28	29.0	7.85	228.1	75.9	225W
565	SEAP11012112091	36.3	8.37	29.0	7.83	227.0	74.8	225W
566	SEAP11012112388	36.3	8.22	29.2	7.82	228.3	76.5	225W
567	SEAP11012312233	36.4	8.25	29.0	7.88	228.7	76.1	225W
568	SEAP11012112448	36.3	8.34	29.1	7.82	227.1	75.1	225W
569	SEAP11012612335	36.6	8.21	28.9	7.88	227.9	75.8	225W
570	SEAP11012312564	36.3	8.27	28.7	7.96	228.2	76.1	225W
571	SEAP11012612081	36.2	8.35	28.7	7.89	226.4	74.9	225W
572	SEAP11012612099	36.2	8.28	28.8	7.88	227.2	75.7	225W
573	SEAP11011912116	36.7	8.25	29.1	7.77	226.5	74.9	225W
574	SEAP11012212044	36.1	8.30	28.9	7.81	225.7	75.2	225W
575	SEAP11011912057	37.0	8.24	29.3	7.79	228.2	74.9	225W
576	SEAP11012112612	36.2	8.32	28.6	7.91	226.7	75.3	225W
TOTAL						8183.6		
AVERAGE						227.3		


225W US225W-36-10502
(+0.31%, +1.64%)



US225W-36-10503

No.	Barcode	Voc(V)	Isc(A)	Vm(V)	Im(A)	Pm(W)	FF)	Lable Power(W)
577	SEAP11012012015	37.0	8.35	29.4	7.75	227.5	73.6	225W
578	SEAP11011912574	36.7	8.21	29.3	7.78	228.4	75.8	225W
579	SEAP11012712176	36.4	8.14	28.8	7.82	225.3	76.1	225W
580	SEAP11012712669	36.7	8.16	29.2	7.75	226.1	75.5	225W
581	SEAP11012712382	37.1	8.24	29.6	7.72	228.5	74.7	225W
582	SEAP11012712666	37.1	8.21	29.0	7.81	226.7	74.4	225W
583	SEAP11012712381	37.2	8.24	29.0	7.80	226.7	74.1	225W
584	SEAP11012712269	37.3	8.25	29.2	7.81	228.2	74.1	225W
585	SEAP11012712308	37.2	8.33	29.1	7.83	227.6	73.5	225W
586	SEAP11012712426	37.1	8.20	29.0	7.81	226.1	74.4	225W
587	SEAP11012712667	37.6	8.19	29.5	7.76	228.6	74.1	225W
588	SEAP11012712578	37.3	8.22	29.1	7.81	227.5	74.3	225W
589	SEAP11012712579	37.1	8.26	28.9	7.83	226.2	73.7	225W
590	SEAP11012712215	37.2	8.28	29.1	7.84	227.8	74.0	225W
591	SEAP11011912553	36.7	8.35	29.4	7.71	226.3	73.9	225W
592	SEAP11012712399	36.2	8.31	28.8	7.86	226.6	75.3	225W
593	SEAP11011912525	36.6	8.32	29.1	7.77	225.8	74.2	225W
594	SEAP11011912893	36.8	8.23	29.5	7.73	228.1	75.2	225W
595	SEAP11011912466	37.0	8.10	29.8	7.65	228.2	76.1	225W
596	SEAP11012112173	36.3	8.32	29.1	7.81	227.5	75.4	225W
597	SEAP11012112296	36.3	8.25	28.9	7.86	227.1	75.7	225W
598	SEAP11012612761	36.5	8.14	29.0	7.84	227.0	76.5	225W
599	SEAP11012612753	36.4	8.16	28.9	7.80	225.9	76.1	225W
600	SEAP11012712034	36.4	8.15	29.1	7.75	225.2	76.0	225W
601	SEAP11012712594	36.4	8.09	28.9	7.79	225.5	76.5	225W
602	SEAP11012712190	36.6	8.13	28.9	7.88	227.4	76.5	225W
603	SEAP11012712657	36.7	8.14	29.2	7.82	228.4	76.6	225W
604	SEAP11012712306	36.5	8.14	29.0	7.83	227.2	76.4	225W
605	SEAP11011912489	36.9	8.36	29.5	7.70	227.4	73.8	225W
606	SEAP11011912864	36.6	8.23	29.3	7.73	226.2	75.0	225W
607	SEAP11011912535	36.9	8.31	29.7	7.70	228.5	74.5	225W
608	SEAP11011912204	37.3	8.38	29.4	7.76	228.1	72.9	225W
609	SEAP11012112319	36.2	8.27	28.8	7.88	226.7	75.8	225W
610	SEAP11012112193	36.2	8.28	28.8	7.87	227.0	75.7	225W
611	SEAP11011912015	36.9	8.28	29.1	7.84	228.3	74.7	225W
612	SEAP11011912043	36.8	8.29	29.1	7.82	227.6	74.5	225W
TOTAL						8177.3		
AVERAGE						227.1		


225W US225W-36-10503
(+0.09%, +1.60%)



US225W-36-10504

No.	Barcode	Voc(V)	Isc(A)	Vm(V)	Im(A)	Pm(W)	FF)	Lable Power(W)
613	SEAP11012112385	36.4	8.16	29.2	7.76	226.3	76.1	225W
614	SEAP11012112420	36.6	8.15	29.1	7.78	226.5	76.0	225W
615	SEAP11012212045	36.7	8.24	29.0	7.86	227.5	75.1	225W
616	SEAP11012112541	36.8	8.20	28.9	7.85	227.2	75.4	225W
617	SEAP11012212126	36.8	8.36	29.0	7.83	227.3	74.0	225W
618	SEAP11012212122	36.7	8.26	29.1	7.83	227.6	75.0	225W
619	SEAP11012112505	36.6	8.24	29.0	7.82	226.7	75.2	225W
620	SEAP11012012001	37.1	8.21	29.3	7.74	227.0	74.5	225W
621	SEAP11012012169	36.6	8.21	29.1	7.82	227.5	75.7	225W
622	SEAP11012112560	36.7	8.29	29.0	7.84	227.2	74.7	225W
623	SEAP11012012087	37.1	8.13	29.2	7.75	226.1	75.1	225W
624	SEAP11012112506	36.7	8.22	29.1	7.82	227.5	75.3	225W
625	SEAP11012112671	36.8	8.19	29.1	7.86	228.3	75.6	225W
626	SEAP11012112331	36.5	8.21	29.0	7.80	225.8	75.4	225W
627	SEAP11011912425	36.8	8.28	28.9	7.81	225.6	74.0	225W
628	SEAP11011912706	36.9	8.22	29.2	7.74	225.8	74.4	225W
629	SEAP11012112413	36.5	8.20	29.0	7.78	225.7	75.4	225W
630	SEAP11012112036	36.8	8.28	29.3	7.80	228.1	74.8	225W
631	SEAP11011912859	36.9	8.29	29.2	7.74	226.0	73.8	225W
632	SEAP11011912372	36.9	8.18	29.1	7.74	225.7	74.8	225W
633	SEAP11011912482	37.0	8.25	28.9	7.80	225.7	73.9	225W
634	SEAP11011912608	36.9	8.25	29.1	7.75	225.3	74.0	225W
635	SEAP11010712472	36.9	8.27	29.4	7.76	228.2	74.8	225W
636	SEAP11012012045	36.8	8.22	29.0	7.78	225.5	74.5	225W
637	SEAP11011912609	37.0	8.25	29.1	7.74	225.7	74.0	225W
638	SEAP11011912387	36.9	8.22	29.2	7.72	225.1	74.2	225W
639	SEAP11011912559	37.0	8.19	29.3	7.71	225.7	74.5	225W
640	SEAP11011912514	37.1	8.17	29.1	7.73	225.2	74.3	225W
641	SEAP11011912827	37.0	8.18	29.2	7.74	225.7	74.6	225W
642	SEAP11011912415	37.1	8.17	29.2	7.74	225.6	74.4	225W
643	SEAP11011912564	36.9	8.13	29.2	7.72	225.1	75.1	225W
644	SEAP11012012117	37.0	8.14	29.1	7.75	225.6	75.0	225W
645	SEAP11012712530	36.3	8.35	28.8	7.84	225.9	74.5	225W
646	SEAP11012712624	36.3	8.22	28.8	7.85	225.9	75.6	225W
647	SEAP11012712634	36.4	8.22	28.8	7.89	227.5	76.0	225W
648	SEAP11012712244	36.3	8.25	28.9	7.83	226.1	75.5	225W
TOTAL						8149.2		
AVERAGE						226.4		

225W US225W-36-10504
(+0.04%, +1.47%)




US225W-36-10505

No.	Barcode	Voc(V)	Isc(A)	Vm(V)	Im(A)	Pm(W)	FF)	Lable Power(W)
649	SEAP11011912102	37.0	8.30	29.2	7.81	227.9	74.3	225W
650	SEAP11011912070	36.9	8.31	29.1	7.82	227.5	74.2	225W
651	SEAP11011912111	37.4	8.12	29.9	7.64	228.1	75.2	225W
652	SEAP11011912009	37.0	8.20	29.1	7.84	227.8	75.1	225W
653	SEAP11011912091	36.9	8.17	29.1	7.82	227.3	75.4	225W
654	SEAP11011912366	36.9	8.36	29.3	7.78	227.5	73.6	225W
655	SEAP11011912528	36.9	8.15	29.3	7.76	227.6	75.5	225W
656	SEAP11011912527	36.7	8.22	29.0	7.82	226.5	75.0	225W
657	SEAP11011912148	37.1	8.35	29.3	7.80	228.3	73.6	225W
658	SEAP11011912376	36.8	8.21	29.2	7.81	228.2	75.5	225W
659	SEAP11011912095	37.0	8.36	29.2	7.78	227.1	73.5	225W
660	SEAP11011912016	36.8	8.25	29.1	7.81	227.1	74.7	225W
661	SEAP11011912521	37.0	8.20	29.3	7.76	227.2	74.8	225W
662	SEAP11011912364	37.3	8.22	29.5	7.79	229.4	75.0	225W
663	SEAP11011912895	37.2	8.19	29.4	7.76	228.4	75.0	225W
664	SEAP11012112325	36.6	8.25	29.1	7.75	225.6	74.7	225W
665	SEAP11011912158	37.3	8.25	29.3	7.82	228.9	74.4	225W
666	SEAP11011912228	37.0	8.23	29.1	7.80	226.8	74.5	225W
667	SEAP11011912073	37.3	8.30	29.3	7.79	228.0	73.7	225W
668	SEAP11011912276	37.3	8.24	29.3	7.78	227.9	74.2	225W
669	SEAP11011912195	37.1	8.21	29.4	7.79	228.8	75.0	225W
670	SEAP11011912258	37.3	8.19	29.4	7.78	228.7	74.8	225W
671	SEAP11011912224	37.7	8.33	29.2	7.81	228.4	72.8	225W
672	SEAP11011912141	37.3	8.33	29.3	7.79	228.1	73.4	225W
673	SEAP11011912156	37.2	8.26	28.9	7.85	227.1	74.0	225W
674	SEAP11011912253	37.2	8.29	29.3	7.77	227.8	73.8	225W
675	SEAP11011912234	37.0	8.19	29.3	7.74	227.1	74.8	225W
676	SEAP11011912186	37.2	8.19	29.2	7.79	227.9	74.9	225W
677	SEAP11011912285	37.2	8.33	29.2	7.81	228.0	73.6	225W
678	SEAP11011912273	37.1	8.25	29.0	7.82	227.1	74.3	225W
679	SEAP11011912266	37.1	8.25	29.4	7.74	227.7	74.4	225W
680	SEAP11011912196	37.1	8.23	29.4	7.78	228.5	74.7	225W
681	SEAP11011912250	37.2	8.36	29.4	7.80	228.9	73.5	225W
682	SEAP11011912052	37.0	8.15	29.3	7.79	228.3	75.7	225W
683	SEAP11011912193	37.2	8.23	29.2	7.77	227.2	74.2	225W
684	SEAP11011912089	37.1	8.30	29.4	7.75	228.0	74.1	225W
TOTAL						8200.6		
AVERAGE						227.8		

225W US225W-36-10505

(+0.27%, +1.96%)



US225W-32-10506

No.	Barcode	Voc(V)	Isc(A)	Vm(V)	Im(A)	Pm(W)	FF)	Lable Power(W)
685	SEAP11011912280	37.6	8.34	29.6	7.79	230.4	73.4	225W
686	SEAP11011912147	37.5	8.18	29.5	7.77	229.4	74.9	225W
687	SEAP11011912042	37.6	8.22	29.6	7.80	230.7	74.6	225W
688	SEAP11011912167	37.7	8.12	29.6	7.73	229.1	74.9	225W
689	SEAP11011912323	37.6	8.19	29.6	7.80	230.8	75.0	225W
690	SEAP11011912129	37.5	8.22	29.5	7.79	230.1	74.6	225W
691	SEAP11011912345	37.6	8.30	29.5	7.78	230.0	73.8	225W
692	SEAP11012312556	37.1	8.34	29.5	7.85	231.6	74.8	225W
693	SEAP11012712335	36.8	8.35	29.3	7.79	228.4	74.4	225W
694	SEAP11012612606	36.4	8.36	28.8	7.91	228.0	74.8	225W
695	SEAP11012112090	36.2	8.31	28.9	7.90	228.2	75.9	225W
696	SEAP11012712212	36.7	8.24	29.2	7.85	229.6	76.0	225W
697	SEAP11011912534	37.2	8.28	29.5	7.76	228.9	74.4	225W
698	SEAP11011912635	36.9	8.26	29.4	7.77	228.9	75.1	225W
699	SEAP11011912649	37.3	8.20	29.8	7.72	229.7	75.2	225W
700	SEAP11011912591	36.9	8.33	29.4	7.81	229.4	74.7	225W
701	SEAP11011912014	37.2	8.19	29.4	7.80	228.8	75.0	225W
702	SEAP11011912084	37.4	8.20	29.5	7.76	228.8	74.7	225W
703	SEAP11011912454	37.4	8.20	29.6	7.78	230.7	75.1	225W
704	SEAP11011912418	37.4	8.30	29.5	7.81	230.7	74.4	225W
705	SEAP11011912575	37.2	8.17	29.6	7.72	228.8	75.2	225W
706	SEAP11011912029	37.4	8.30	29.4	7.80	229.1	73.8	225W
707	SEAP11011912168	37.3	8.29	29.5	7.77	229.3	74.1	225W
708	SEAP11011912215	37.3	8.27	29.5	7.76	229.1	74.2	225W
709	SEAP11011912373	37.3	8.26	29.5	7.81	230.1	74.7	225W
710	SEAP11011912410	37.4	8.25	29.4	7.85	230.5	74.8	225W
711	SEAP11011912081	37.5	8.25	29.5	7.78	229.8	74.2	225W
712	SEAP11011912165	37.5	8.26	29.7	7.76	230.3	74.3	225W
713	SEAP11011912211	37.5	8.18	29.5	7.76	229.4	74.9	225W
714	SEAP11011912307	37.5	8.24	29.5	7.80	229.8	74.4	225W
715	SEAP11011912315	37.5	8.26	29.5	7.78	229.3	74.1	225W
716	SEAP11011912103	37.3	8.28	29.3	7.81	228.8	74.0	225W
TOTAL						7346.5		
AVERAGE						229.6		

225W US225W-32-10506

(+1.33%, +2.93%)

